

# Creating a bootable flashdrive

## NOTICE

Nowadays, just use Ventoy.

---

---

---

To create a bootable flashdrive for Windows you'll need an 8GB+ flash drive. For Linux, it depends on the distribution. You should be fine with 1GB for Arch, but hey, 16GB flash drives are like \$5 today.

Keep in mind that the flash drive can either be (U)EFI bootable, BIOS bootable(often named legacy in UEFI options) or both.

To actually boot from the flash drive, go into your UEFI/BIOS settings and either find the option to boot directly from the flash drive, or rearrange your boot order to boot from flash drive first.

## On Windows

### Linux or Windows images

**Rufus** - Rufus usually has no problem working with Linux and Windows ISOs and is easy to work with. The only negative thing is that I didn't figure out how to make ISOs that boot both under BIOS and UEFI, only one or the other, which is selected under the "Partition scheme" label.

You want to use "GPT for UEFI" partition scheme unless your hardware is years and years old.

unetbootin - Sometimes certain Linux distributions fail to be used by Rufus

# On Linux and macOS

macOS has some command name differences not mentioned here, but the general idea works still.

## Linux images

Unetbootin or dd can be used for this purpose, I chose to use dd because it's preinstalled and straightforward.

Make sure to run lsblk to know what device you should be dealing with.

**umount /dev/sde1** - Unmount the device in case it's mounted

**sudo dd if=/path/to/file.iso of=/dev/sde bs=4M status=progress && sync**

You should now be able to boot the distribution in both BIOS and UEFI, if the distribution supports it.

---

## Windows images

Below is a description of the manual process, however you can use [WoeUSB](#) for an automated one.

---

[\[1\]](#) [\[2\]](#)

[This handy script](#) does the below-described process:

Format the flash drive with Gparted - Device > Create partition table - Set partition table to msdos. Afterwards create a FAT32 partition, remember to label it, labeling it is optional if you only want to keep only one OS on the flash drive but probably required for more.

Right click the partition you created > Manage flags > tick the 'boot' flag. Exit gparted.

Mount the ISO you want to use to some already existing folder

**sudo mount -o loop ~/Downloads/Win8.1\_English\_x64.iso /mnt/iso**

and copy all files from it to the mounted flash drive. The exclude is there to support Win10 1809+ images which have over 4GB install.wim which needs to be split:

```
rsync -rv --progress --exclude=install.wim /mnt/iso/ /run/media/c0rn3j/WINDOWS/
```

```
wimsplit /mnt/iso/sources/install.wim /run/media/c0rn3j/WINDOWS/sources/install.swm  
3000
```

At this point the flash drive should be UEFI bootable. You're likely done here, but if you have a very old machine, the rest is needed to also enable BIOS booting.

Also you should create a file `ei.cfg` in the `sources` folder with following content(it makes sure you can actually select the edition):

```
[Channel]
```

```
Retail
```

```
sudo grub-install --target=i386-pc --boot-directory=/run/media/c0rn3j/WINDOWS/boot  
/dev/sdd - This command will install GRUB bootloader on the flash drive.
```

Last thing you'll need to do is create a config file for GRUB.

```
gedit /run/media/c0rn3j/WINDOWS/boot/grub/grub.cfg - This command will run gedit, paste  
the following text block in it and save it. Remove the label part if you didn't set one.
```

```
default=1  
timeout=15  
color_normal=light-cyan/dark-gray  
menu_color_normal=black/light-cyan  
menu_color_highlight=white/black  
menuentry "Start Windows Installation" {  
    insmod ntfs  
    insmod search_label  
    search --no-floppy --set=root --label WINDOWS --hint hd0,msdos1  
    ntldr /bootmgr  
    boot  
}
```

The flash drive should now be bootable by both UEFI and BIOS.

## KON-BOOT images

Format the flash drive with Gparted - Device > Create partition table - Set partition table to msdos. Afterwards create a FAT32 partition, remember to label it.

Copy the EFI folder onto the new partition.(you may need to rename it to lowercase efi?) Copy the files in USBFILES folder onto the new partition.

**sudo grub-install --target=i386-pc --boot-directory=/run/media/c0rn3j/KONBOOT/boot /dev/sdd** - This command will install GRUB bootloader on the flash drive.

**sudo cp /usr/lib/syslinux/bios/memdisk /run/media/c0rn3j/KONBOOT/boot/grub/** - copies memdisk onto the flashdrive - needed for BIOS booting.

**gedit /run/media/c0rn3j/KONBOOT/boot/grub/grub.cfg** - create the following grub entry

```
menuentry "Konboot" {  
    linux16 /boot/grub/memdisk  
    initrd16 /konboot.img  
}
```

Note: Konboot v2.5 does not seem to work on anything past the first W10 RTM build.

# Using Android to emulate mass storage

You can boot images straight off your phone if you've root permissions.

[Usb Mountr](#) was one of the FOSS solutions, but it was dropped by the maintainer.

[DriveDroid](#) is supported but proprietary.

Your kernel might support emulating USB, emulating CD drive or both.

---

Revision #3

Created 29 June 2021 11:23:07 by C0rn3j

Updated 27 September 2022 09:27:24 by C0rn3j